

Tamagawa Seiki



Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için

info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Tamagawa Seiki Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Tamagawa Seiki Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
TS2651N221E78 / 1X / BRT	Frequency: 4,000 kHz Voltage: 10.00Vpp Size: S-21
TS2651N221E78 / 1X / BRT	Frequency: 4,000 kHz Voltage: 10.00Vpp Size: S-21
TS2650N11E78 / 1X / BRT	Resolver, pancake version Frequency: 4,000 kHz Voltage: 10.00Vpp Size: S-21
Resolver TS2651N221E78	TS2651N221E78 / 1X / BRT Frequency : 4.000 kHz Voltage: 10.00Vpp Size: S-21
TS2660N31E64 / 1X / BRX	Resolver, pancake version Frequency: 10,000 kHz Voltage: 7.00Vrms Size: S-34
TS2651N221E78	Our article number: 10.1102339.001 Frequency : 4,000 kHz Voltage: 10.00Vpp Size: S-21
RESOLVER TS2113N21E10NLA	
TS2660N31E64	Resolver TS2660N31E64 / 1X / BRX Resolver, Pancake Version Frequency : 10.000 kHz Voltage: 7.00Vrms Size: S-34
F89094 encoder	
TS2651N111E78	
Resolver TS2651N221E78	TS2651N221E78 / 1X / BRT Frequency : 4,000 kHz Voltage: 10.00Vpp Size: S-21 silicone hose
P/N 800123-S	2048 PPR BRX/FA SOLVER RATIO 26V,2400 HZ S/O #847782 HEAVY DUTY SHAFT DIAMETER: 15.84
121607.001	Resolver TS2650N21E78 TS2650N21E78 / 1X / BRT Resolver, pancake version Frequency: 4,000 kHz Voltage: 10.00Vpp

Size: S-21	
SMART SYN TS 2651 N 181 E 78	
SMART SYN TS2651 N 141 E78	
4850016513	
Proseat Ce62 Ts2620n701e11	
Ts5213n315	Encoder, hollow shaft version Incremental Digital Size: OIH-35 Resolution: 2048 pulses / rev. Output signal: TTL (LD) Commutation: 6-pin Connection: Cable Cable length: 500 Plug type:
Ts2014n281e26	
Ts1857n16 , Ts1857n17	
Smcsy5120-5Iz-01	
Ts2640n141e172	TS2640N141E172 / 1X / BRX Resolver, pancake version Frequency: 4,000 kHz Voltage: 5.00Vrms Size: S-21
Ts2025n371e10d	
Ta4721n 8000 - !!	
4810010025	
Tas4725n Gt; ???	
Ts5213n551	TS5213N551 Encoder, hollow shaft version Incremental Digital Size: OIH-48 Resolution: 2048 pulses / rev. Output signal: Commutation: 8-pin Connection: Cable Cable length: 170 Plug type:
Ts 45 I 4n I 23 I E200	
B66609e	
Ts5208n30	
1963	
1569 Ts5214n530/ 2500 P/U/ 8p/ L6 Oih-48	
Ts 2640 N241 E172 Gt;Gt;Gt;	
Sblb-1050-30-0/Bpx	
Springts2651	
Ts2641n41e64	
Oih 35 -2500 Ts5214 N310 P 8 -L6 -5v	
Tas4725n 80	

Ts 2030n71e14	
Brt - Ts2651n141e87	
Ts 2650	
Ts 5667 N2303 A08059 !!	
Au6550n286e194	
Au6803	
Ts 2054n31e51 S/N454	
Ts 4512n4021e200 !!	
Tas4725n 5	
Ts:6246 N :331 Sn A06274 !!	
Tas4725n1320	
TbI-V Ts4742n5022e601 (Oem)	
617526/Ts453e11	
Ts 4839n4035e234 !!	
Rfh1024-22-1m-68	
Ms01-20-25	
Bkt-D20682	
Ose1024-3-15-68-8	
Ta4767n165e100	
Ts2640n641e64	TS2640N641E64 / 1X / BRX Resolver, pancake version Frequency: 10,000 kHz Voltage: 7.00Vrms Size: S-21
Ts2651n111e78	
Ta4725n30	
6590-608	
S5205n452 Serial: A2183f	
TS26251N221E78	
Ts4836n8220e201	
Rfh1024-22-1m	
Ts 3203n35e8	
Track Ball For Tas4725n Medison X8 Oem	

800123-R Brx Fa Solver	
Ts2225n213e102	
TS2651N221E78	Resolver, type TS2651N221E78 Our article number. 10.110239.001
Ts2651n181e78	
Ts5214n8566 - Not Available	
Ts 4834n9021e235	
Au6550.N206.N268	
Ts 5667	
Brt Ts2651n111e78	
Ts 4513n9026e200 !!	
Ts 4514n4025e200 !!	
D24909, 48 2500p8, L6 Fv 5214 N566	
1151	
Ts2620n581e97	TS2620N581E97 / 1X / BRX Resolver, pancake version Frequency: 10,000 kHz Voltage: 7.00Vrms Size: S-15
506.933a03101wo...30bar/Out 4-20 Ma	
D71059a	Encoder Please look at the attachment
Ts2640n1501e109	
Ta3420n22	
Ta3420n12	
Ts 6246 N 331	
Ts5216n510	
Oah-14b-Sd-Bko-M-6046	
Part No Ts-5226n-104, Sr. No.A84470a	
Brt - Ts2651n111e78	
Ts2640n441e26	
Ts5n2e18	
Ohe 25 K-6 Oem	
Ta1664 N 1918 (Oem)	
603197/Ts4n2e12	
Ts2605n31e64	

[Oih48; 2000c/T; L3 5v](#)

[Ta4701n2000e1](#)