

## Ultra Pompe S.R.L.

Garanti: 12 ay  
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.  
**Ultra Pompe S.R.L.** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

*Firmamız Ultra Pompe S.R.L. Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.*



| Ürün                                                                      | Açıklama                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">GL-42-K1V-B-1G0</a>                                           | UGL0042K1VB0000R1G0 42 cc/rev (R right) gear pump B5 bell housing mounting Safety relief valve: standard Heating jacket: NA Connection: threaded 1" Main body: Cast Iron G25 Mechanical seal: stainless steel/carbon-graphite/FPM Gasket: FPM Rotors: Steel 39NiCrMo3 Nitriding process Bearings: steel/PTFE Wear plate: NA Working data WORKINGDATA - Rated speed: 1400 rpm Max rated delivery: 58,8 l/min Operating pressure: (IN) 0 (OUT) 4 (VALV) 4 bar Fluid: Oil Fluid viscosity: 150...350 cSt Fluid temperature: +10...+40°C |
| <a href="#">AULGM100LB24000M4</a>                                         | Assembling: Bell housing, coupling and el.motor (100LA) Electric motor 2,2 KW 4P B3/B5 100LA 230/400V-50HZ 265/460V-60HZ IP55 IE3                                                                                                                                                                                                                                                                                                                                                                                                    |
| <a href="#">SI-14-V-Wngear Pump With Lantern (No Coupling, No Drive)</a>  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <a href="#">Gear Pump GI-42? 3kw 4p</a>                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <a href="#">24601</a>                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <a href="#">SI-28-V-Wn Gear Pump With Lantern (No Coupling, No Drive)</a> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                                                                                  |
|----------------------------------------------------------------------------------|
| <a href="#">Sl-14-V-Oh-Wn Gearcpump With Lantern<br/>(No Coupling, No Drive)</a> |
| <a href="#">Pgp--300vvv----Gg</a>                                                |
| <a href="#">Pglg---7vvve---Gg--M6-71b</a>                                        |
| <a href="#">Gl 144 V B</a>                                                       |
| <a href="#">Gl-28-Vb + 1,5kw 4p</a>                                              |
| <a href="#">L-14-Bs</a>                                                          |
| <a href="#">Gp-300-Kv</a>                                                        |
| <a href="#">Gear Pump Gl-52-Vb ? 1,5kw 8p</a>                                    |
| <a href="#">Lf10b.</a>                                                           |
| <a href="#">24602</a>                                                            |
| <a href="#">21589 Type Lf 6 Brs Obsolete, Replaced<br/>By Gl 7 Vbs</a>           |
| <a href="#">Gear Pump Gl-93-Vb ? 4kw 4p</a>                                      |
| <a href="#">Kgu Gl28v</a>                                                        |
| <a href="#">Lf 21 B</a>                                                          |
| <a href="#">Pglg--42vvv----Gs--M4100l</a>                                        |
| <a href="#">Gl-14-Vbs</a>                                                        |
| <a href="#">K V Gl28</a>                                                         |
| <a href="#">Repair Kit For Pump Type Gl 21 Vb</a>                                |
| <a href="#">Gear Pump Gl-35-Vbs ? 1,5kw 4p</a>                                   |
| <a href="#">Pglm--28vvv----Gg--M4-90l (With<br/>Lantern, Coupling And Motor)</a> |
| <a href="#">Lf93b Q:120</a>                                                      |
| <a href="#">Gear Pump Gl-35-Vb ? 1,5kw 4p</a>                                    |
| <a href="#">Lf 28 Ab</a>                                                         |
| <a href="#">Pglm---7vvve---Gg--M6-71b</a>                                        |
| <a href="#">Pgl---42vvv----Gg--M4100l (G Series<br/>Gear Pump)</a>               |
| <a href="#">17674 Lnf64 Ab , By Pglm--52vvvb---Gg-<br/>-M4100</a>                |
| <a href="#">Gl-28-Vbs + 1,5kw 4p</a>                                             |
|                                                                                  |

|                                                                              |
|------------------------------------------------------------------------------|
| <a href="#">Lf44b Q:3.8</a>                                                  |
| <a href="#">24606</a>                                                        |
| <a href="#">Pglg--28vvv----Gg--M4-90l (With Lantern<br/>And Coupling)</a>    |
| <a href="#">Kit Mechanical Seal + Gasket Seal For<br/>Pump Type GI-21-Vb</a> |
| <a href="#">Gear Pump GI-42? 1,1kw 6p</a>                                    |
| <a href="#">Op300kv</a>                                                      |