



Voss

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Voss Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Voss Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Purg-O-Mat Va	- Automatic float bleeder made entirely of stainless steel V4A (CrNi 1.4571), max. 10 bar to 150 °C. mech. stainless steel float, - automatic float air vent completely made of stainless steel AISI 316Ti(CrNi1.4571) Maximum: 10bar - 150°C (227 PSI), Connection thread: G 3/8" male - Purgur automatique d`air à flotteur "grand debit" fabriqué complètement en acid inoxydable AISI 316Ti (CrNi 1.4571) Art nr. 10150
EVT30SOMDZN	VSO-01468 Adjustable T-screw connection
30S-8SOMD	Reduction screw connection
15L-G1/2"	Setting angle
SV 246 NG12 - ID10 Nylon Material-Adblue Line 90 °	Automatische Verbindung mindest Bestellmenge angeben Bitte
SV 246 NG8 - ID8 Nylon Material-Adblue Line 90 °	Automatische Verbindung mindest Bestellmenge angeben Bitte
SV 241 5/16 "- ID 8 Nylon Material-Adblue Line	90 ° Automatic Union mindest Bestellmenge angeben Bitte
SV 241 3/8 "- ID10 Nylon Material-Adblue Line	90 ° Automatische Verbindung mindest Bestellmenge angeben Bitte
RD516	Check Valve / WATER COVER 1
RD512	Check Valve / WATER COVER 1
RDL28	Check Valve / WATER COVER 1
RDL42 (WITHOUT SPRING)	Check Valve / WATER COVER 1

VSO-01373 (0148842074)	KOR20 / 08SOMDZN Reducing connection
VSO-01025 (0137302066)	SV22LOMDZN Straight bulkhead connector
VSO-00918 (0734302000)	T22LZNX T-connector
VSO-00928 (0734802000)	T20SZNX T-connector
VKO-01075 (0177912007)	EVGE08SREDZN Screw-in socket with seal
VSO-00903 (0720552000)	W08SZNX Shop struts
VSO-01486 (0162832007)	EVL20SOMDZN Adjustable L - screw connection
VSO-00923 (0734552000)	T08SZNX T-connector
DGGES 08-LR	Ger. Einrast.-Drehverschr. AX-DG-GR.1 8LR 1/4 "AG
VSO-00138	RHD12SOMDZN Check valve - 1bar opening pressure 24-VNRO-S12 Your item number: 0600142081
RVP 24	
VOSS56	
VOSS34	
vent valve Purgomat Voss 3/8"	external thread
24-BV10R-L6-C19	Artikelnummer: 0031001900
24-BV10CO-L8x1-C19	Artikelnummer: 0034059900
24-BV10SO-L6x1-C19	Artikelnummer: 0033009900
DC-SDS-TPC1-N1/4T-SCV	Artikelnummer: 5680225000
DC/24-SWOL-S16-TPC1-S16-SCV	Artikelnummer: 5680375081
0605032000	
100175015	
100175128	
100180210	
100184808	
10926188	
10926189	
5690999281	
81981816236	
KDS 320-1-1-2	
KDS 640-1-1-2	

VO XWV 08-S	shuttle valve WV08SOMD - 5690999281
2055102052	D10-MALE STUD TUBE CONNECTO Ø 10x1 mm
2066062000	D15-MALE STUD TUBE CONNECTOR Ø 15x1.5 mm
2055492052	D6-MALE STUD TUBE CONNECTO Ø 6x1 mm
2055102052	D6-MALE STUD TUBE CONNECTOR Ø 6x1 mm
0004206000	DIN 24 ° - L 15 - M22x1.5 Ø 15x1.5 mm
0011206039	ES4 TYPE - L15- CUTTING RING Ø 15x1.5 mm
2050012100	FLARE 90° - L 10 - 11/16-16 Ø 10x1 mm
2066062000	FLARE 90° - L 15 - 1-14 Ø 15x1.5 mm
2050032100	FLARE 90° - L 15 - 1-14 Ø 15x1.5 mm
2050002100	FLARE 90° - L6 - 9/16-18 Ø 6x1 mm
2066022000	FLARE 90° TYPE - L10- CUTTING RING Ø 10x1 mm
2066062000	FLARE 90° TYPE - L15- CUTTING RING Ø 15x1.5 mm
2066002000	FLARE 90° TYPE - L6- CUTTING RING Ø 6x1 mm
2066022000	FLARE 90° TYPE - L6- CUTTING RING Ø 6x1 mm
0041602058	FLARED CONNECTING PARTS - L6 Ø 6x1 mm
1142052058	MAVE08LR
1158082058	
1158082058	EW08LVITOMD Adjustable elbow fitting 24-SW OE-L8-P
3/8" Vent Valve Purgomat 316L	
462774	ESV22LX - 0741300000 VO XESV 22-L Customs tariff number 7307 9319 Net weight kg 0.399
461701	AS22LX - 0739300000 VO XAS 22-L Straight welding sockets Series: L Tube diameter: 022 Customs tariff number 7307 9319 Net weight kg 0.194
0602392081	RHV42LREDOMD
0602352081	RHV18LREDOMD
7000313800	HF/37-S-6-DN06
461149	EVW16S - 0158772007 VO EVW 16 hp Adjustable elbow fitting Series: S Tube diameter: 016
184371/96	COUPLINGS (STEEL)30X4 B.S.P
460402	Alternative item EVW16SOMD - 0158782007 VO XEVW 16 hp Adjustable elbow fitting Series: S Tube diameter: 016

	Alternatively without nut and cutting ring
602352	HYD.CHECK VALVE
602392	
462499	RHV18LREDOMD - 0602352081 VO XRHV 18-LR 1/2" "ED" Standard Gewinde Rückschlagventil Baureihe: L Rohrdurchmesser: 018
462503	RHV42LREDOMD - 0602392081 VO XRHV 42-LR 1 1/2" "ED" Standard Gew. Rückschlagventil Baureihe: L
463613	BOE ETK S 12x2.0 - 0033679900 VO BOE ETK S 12x2.0 - 24/20 degrees flare fittings Row S completely
463614	BOE ETK S 16x2.0 - 0033779900 VO BOE ETK S 16x2.0 - 24/20 Grad Flare-Armaturen Reihen ganz und gar
463615	BOE ETK S 16x2.5 - 0033789900 VO BOE ETK S 16x2.5 - 24/20 degrees flare fittings Row S completely
463044	BOE ETK S 20x3.0 - 0033839900 VO BOE ETK S 20x3.0 - 24/20 degrees flare fittings Row S completely
463070	BOE ETK S 25x3.0 - 0033879900 VO BOE ETK S 25x3.0 - 24/20 degrees flare fittings Row S completely
462717	BOE ETK S 25x4.0 - 0033889900 VO BOE ETK S 25x4.0 - 24/20 degrees flare fittings Row S completely
463617	BOE ETK S 38x4.0 - 0033979900 VO BOE ETK S 38x4.0 - 24/20 degrees flare fittings Row S completely
463037	BOE ETK S 38x5.0 - 0033989900 VO BOE ETK S 38x5.0 - 24/20 degrees flare fittings Row S completely
463613	BOE ETK S 12x2.0 - 0033679900 VO BOE ETK S 12x2.0 - 24/20 degrees flare fittings Row S completely
460158	G12SX - 0712652000 VO XG 12-S Straight fitting Series: S Tube diameter: 012
460405	G16SX - 0712752000 VO XG 16-S Straight fitting Series: S Tube diameter: 016
463615	BOE ETK S 16x2.5 - 0033789900 VO BOE ETK S 16x2.5 - 24/20 degrees flare fittings Row S completely
460434	G20SX - 0712802000 VO XG 20-S Straight fitting Series: S Tube diameter: 020
463044	BOE ETK S 20x3.0 - 0033839900 VO BOE ETK S 20x3.0 - 24/20 degrees flare fittings Row S completely
461594	G25SX - 0712852000 VO XG 25-S Straight fitting Series: S Tube diameter: 025
462717	BOE ETK S 25x4.0 - 0033889900 VO BOE ETK S 25x4.0 - 24/20 degrees flare fittings Row S completely

461599	G38SX - 0712952000 VO XG 38-S Straight fitting Series: S Tube diameter: 038
463037	BOE ETK S 38x5.0 - 0033989900 VO BOE ETK S 38x5.0 - 24/20 degrees flare fittings Row S completely
DELAYED RECORD M16X1.5	
DELAYED RECORD M22X1.5	
ELBOW RECORD VOSS 230 TYPE 8X6 KM LARGE MODEL 15MM	
ELBOW RECORD VOSS 230 TYPE 12X9 BM	
HOSE NIPPLE VOSS 230 TYPE 12X9	LARGE FOR BM 12X9 HOSE MODEL
RD S 12	
RV S16-G1/2"	
RD S 25	
RV S25-G1"	
M22x1.5 L15(VOSS 5690983281	
246 quick disconnect	Ø 16
463586	ES-4VA 42L - 0011456039 VO ES-4VA 42L Cutting ring ES-4 stainless steel Series: L Pipe diameter: 042
461422	RHD16S - 0600162007 VO RHD 16-HP check valve Series: S Pipe diameter: 016
GE08LMEDOMD - 0784402000	VO XGE 08-LM 12x1.5 "ED" standard wt. Straight screw connection Size: M12x1.5 Series: L Pipe diameter: 008
EW08LOMDVIT - 1158082058	VO XEW 08-L with Viton O-ring Adjustable angle screw connection Series: L Pipe diameter: 008
GE12SMEDOMD - 0784522000	VO XGE 12-SM 18x1.5 "ED" St. Thread Straight screw connection Size: M18x1.5 Series: S Pipe diameter: 012
461987	WH18LMKDSOMD - 1155262081 VO XWH 18-LM 22x1.5 "KDS" standard wt. Angle - swivel screw connection Pipe diameter: 018 Series: L
461981	WH12LMKDSOMD - 1155162081 VO XWH 12-LM 16x1.5 "KDS" standard wt. Angle - swivel screw connection Pipe diameter: 012 Series: L
WC46-9G848-B-PIA-09	
0 1 72 95 20 07	
5203110000	

20s-Es4-Te	
4sp10-Mm10nm10-1-4100	
Hp20-0-Rt001	
100183013, Kds 640-1-1-2 55 2000 0000	
110752007	
81.98183.6114 No: 5232000000	
24-Vnrotphp-S10-G3/8e	1604432081 Voss check valve
Td-Crpt-L8-M 5993955000	
81.98183.6115 No: 5232000100	
Voss 24°	VOSS 24 ° Konizitätsmessgerät
8s-Es4	
5203110100	
Kr.B1290.131p0006	
Td-Crpt-L12-M 5993957000	
255465 Wv08somb	
1/8\"g-8l	
0242315000	
5994677050	
Vo066001326-3/8	
0 1 49 07 20 00	
600132	
06203020000	
Hp10-0-Rt004	
112002007	
5 9 94 67 70 50	
6.1/1/640/1/1/2,520002 Replaced By 100183013	
10046	
1 06 05 20 07	
Fh10-2-Igf08va	
112801/ 93	

[Corner Fitting Pipe F14h2 With Male
Thread 1/2 Quot;Npt, Pn = 350bar,
Tmax = 270 Degrees Celsius, Aisi 3](#)

[1-10-05-20-07](#)

[M-1/2\"g-H-1/4\"-G](#)

[177601 38 Mm.\(R 1 1/2"\)
Stud/Standpipe Adaptor](#)

[255465 Wv08somb Wechselventil Ohne
Überwurfmutter Und Schneidringe](#)

[189331](#)

[01 10 75 20 07](#)

[1/2\"g-T](#)

[5 2 46 04 04 59](#)

[100183013](#)

[P/N: 5520002000 Type: Kds640-1-1-2](#)

[0241135000](#)

[A 960 420 00 40 6.11](#)

[M 16 S](#)

Voss union nut

[M. Bsp 1\" - Tube D28 Acier 1 1 65 38
20 00](#)

[10010052000](#)

[1-18-05-20-07](#)

[5520 001 000 Obsolete Pressure Switch
Kds320-1-1-2](#)

[Kds-100-1-1-5520000000 \(4.004.018\)](#)

[0110622007](#)

[0 0 70 68 99 00](#)

[Vka 16 S](#)

Voss sealing plug

[0242345000](#)

[K15491021](#)

[158772007](#)

[0240055000](#)

[1/4\"g-8s](#)

5246026200	
0 1 58 67 20 07	
8s-Es4-T	
118752007	
0060369000	
463569 Wv12somb	
5203100300	
Voss 16-65 Mm	
01-10-16-20-07	
5 2 46 03 12 00** Elbpw Plugs-System	
246 Standart	
1/2\"g-20s	
Ff10-0-Rt001	
0 1 72 92 20 07	
81.98181.6236 No: 5203014470	
Rhv 10 Lr-Ed 1 Bar	Voss check valve RHV 10 LR-ED 1 BAR
5246027100 -25000	
Voss Td-Tib	VOSS TD-TIB Nippel-Zahnmessgerät
Seos-38-Mdk	
R0112-Mo12no12-4500	
0 1 72 96 20 07	
Kds-320-1-1-2- 552000100 (4.004.018)	
20s-Es4-C	
5 2 46 02 26 00	
5994678050	
685774	
106001	
81981256120	Fixing Plate Control Connection
20s-16s	
16-65 Mm	
112801/ 93 Straight Coupling	

177601 38 Mm.(R 1 1/2quot;)	
5520 001 000 Obsolete	
463569 Wv12somb Wechselventil Ohne Überwurfmutter Und Schneidringe	
Kds 100-1-1-2	
5246027900	
Vo066001326-1/4	
5246027200-25000	
033799	
Gp-Kds-640-1-1-5520002000	
305382007	
5 2 46 02 58 00 Elbow Plugs-System 246 C-Clip	
5520002000	
189361	
20s-Es4-T	
Purg-Inox 2000	
S-10	
6.1/1/640/1/2/0	
S-12 A 1/4g	
RhZ 10 Lr-Ed 1 Bar	Voss check valve RHZ 10 LR-ED 1 BAR
033799 Flare Connection Part Complete	
100183013 Druckschalter	
1-12-05-20-07	
Typ 80 N2/ Typ 80n	
24-VnrohP-S10	1600132081 Voss check valve
5 9 94 67 80 50	
5520000000	
117102000	
Td-Crpt-L15-M 5993958000	
Kds 640-1-3-2 Obsolete/Replaced By Gp-Kds-640-1-1-5520002000	

[86663e](#)

[4sp12-Mp12np12-1-4000](#)

[Es4-S-14](#)