

Weh

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Weh Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Weh Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Weh -Adapter Typ 17-Patented	
TW17H M14x1.5	
TW17H M16x1.5	
300140510	
300141710	
300144706	
300145616	
300146150	
300146465	
300156740	
300164613	
300175960	
B200B-142364	
C1-109025	
C1-111794	

Weh

YURSAT yedek parça tedarikçi yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü ya da temsilcisi değildir.

C1-111796	
C1-112464	
C1-114-144	
C1-118225	
C1-141954	
C1-48091	
C1-99331	
E51-095V	
E51-116730	
E69-96824	
TK22N	
TW800 F. ROHRO15,MM/ BUNDO17,5MM C1-47781	
TW800B-SON-BB0/BG4/A D:19MM	
TW800B-SON-BB0/BG5/A D:20MM	
TW800-D19 (C1-111796)	
W1212	V actuator with pin W1212 f. Type 17 E150 (BG1)
C1-16774	QUICK CONNECTOR TW141, C1-16774 FOR OUTSIDE PIPE. 12.0MM DEVICE NO. C1-16774 ALL PARTS RUST RESISTANT SIZE 2 LINE STRAIGHT NPT1/4 AG ACTIVATION: CLAMPING LEVER MANUAL SEALS: NBR (BUNAN) TEST MEDIUM: AIR, WATER, OIL TEST PRESSURE: MAX. 100 BAR
C1-16773	QUICK CONNECTOR TW141, C1-16773 FOR OUTSIDE PIPE. 10.0MM DEVICE NO. C1-16773 ALL PARTS RUST RESISTANT LINE STRAIGHT NPT1/4 AG ACTIVATION: CLAMPING LEVER MANUAL SEALS: NBR (BUNAN) TEST MEDIUM: AIR, WATER, OIL TEST PRESSURE: MAX. 100 BAR
W1209	300140643 V actuator with pin W1209 f. Type 17 Article no. W1209
TW800 FOR G3/4	300145203 QUICK CONNECTOR TW800, C1-15562-X2 FOR EXTERNAL THREAD G3/4 (CONNECTION ACCORDING TO DIN 2999) DEVICE NO. C1-15562-X2 - WITH THREAD COLLETS AND THREAD SLIPPER FOR EASIER ADAPTION ALL PARTS RUST RESISTANT FRAME SIZE 6 LINE STRAIGHT G3/4 IT ACTIVATION: HANDLE SLEEVE MANUAL SEALS: NBR (BUNAN) TEST MEDIUM: AIR / WATER / OIL / NATURAL GAS TEST PRESSURE: MAX. 50 BAR
C1-85042-X01	TK16-H35HF fueling nozzle for Hydrogen refueling TK16 High Flow Gas a adapter 9072065 WEH® INOX / INOX Total weight: 2.10 kg TK16-H35 FILLING COUPLING; C1-85042-X01 FOR REFUELING HYDROGEN 5000PSI - VERSION: STRAIGHT - WEIGHT: 2.1KG - GAS RECIRCULATION: YES - MEDIUM NOTE: NOT FOR PRE-COOLED HYDROGEN SUITABLE - CONNECTION SIZE B1: UNF 9-16"-18 AG, SAE J514 37° CONE - CONNECTION SIZE C2: UNF 7/16"-20 AG,ISO 17268.2017-03 SAE J2600:2015-10 ALL PARTS RUST RESISTANT ACTUATION: HAND LEVER MEDIUM: HYDROGEN TEMPERATURE: MAX. 85°C PRESSURE: PS 450 BAR; PT 644 BAR
C1-14764	Art. Nr. 300140535 QUICK CONNECTOR TW17H, C1-14764 FOR INTERNAL THREAD M12X1.5 DEVICE NO. C1-14764 TW17H-W9034-045/LP ALL PARTS RUST RESISTANT SIZE 2 INLET SIDE. G1/4 IT ACTIVATION: HAND LEVER MANUAL SEALS: NBR (BUNAN) TEST MEDIUM:

	AIR, WATER, OIL TEST PRESSURE: MAX. 50 BAR
C1-14769	Art. Nr. 300140694 TW 17H M16x1,5 W9036-065 QUICK CONNECTOR TW 17H, C1-14769 FOR INTERNAL THREAD M16X1.5 DEVICE NO. C1-14769 TW 17H-W9036-065/HP ALL PARTS RUST RESISTANT FRAME SIZE 3 INLET SIDE. G3/8 female ACTIVATION: HAND LEVER MANUAL SEALS: NBR (BUNAN) TEST MEDIUM: AIR, WATER, OIL TEST PRESSURE: MAX. 350 BAR
TYP: 17	
C1-141183	This product contains several materials REACH: CAS-No 7439-92-1, Pb >0.1% QUICK CONNECTOR TW01, C1-141183 FOR INTERIOR. 16.0-18.0MM DEVICE NO. C1-141183 ALL PARTS RUST RESISTANT SIZE 2 LINE STRAIGHT G1/8 IG ACTUATION: PNEUMATIC EXTERNAL CONTROL PRESSURE: 4 - 12 BAR SEALS: NEOPRENE TEST MEDIUM: AIR TEST PRESSURE: MAX. 9 BAR
coupling	Leak test will be done on the hoses in two different sizes in the couplings. I am sharing the relevant parts of the T. pictures showing the hose inner diameter and wall thickness below.
C1-14769	TW 17H for internal thread M16x1.5 (TW 17-W9036-065/HD), quick adapter WEH® INOX / INOX This product contains other materials REACH: CAS-No 7439-92-1, Pb >0.1% QUICK CONNECTOR TW 17H, C1-14769 FOR INTERNAL THREAD M16X1.5 DEVICE NO. C1-14769 TW 17H-W9036-065/HP ALL PARTS RUST RESISTANT SIZE 3 LEAD SIDE. G3/8 IG OPERATION: MANUAL HAND LEVER SEALS: NBR (BUNAN) TEST MEDIUM: AIR, WATER, OIL TEST PRESSURE: MAX. 350 BAR
C1-14772	TW 17H for internal thread M22X1.5 (TW 17H-W9039-085/ND), quick adapter WEH® INOX / INOX This product has several materials REACH: CAS No. 7439-92-1, Pb >0.1% QUICK CONNECTOR TW 17H, C1-14772 FOR INTERNAL THREAD M22X1.5 DEVICE NO. C1-14772 TW 17H-W9039-085/LP ALL PARTS RUST RESISTANT SIZE 4 LEAD SIDE. G1/2 female OPERATION: MANUAL HAND LEVER SEALS: NBR (BUNAN) TEST MEDIUM: AIR, WATER, OIL TEST PRESSURE: MAX. 50 BAR
C1-14768	TW 17H for internal thread M16x1.5 (TW 17H-W9036-065/LP) Quick adapter WEH® INOX / INOX Customs tariff number: 73269098900 Total weight: 12.00 kg This product has several materials REACH: CAS No. 7439-92-1, Pb >0.1% QUICK CONNECTOR TW 17H, C1-14768 FOR INTERNAL THREAD M16X1.5 DEVICE NO. C1-14768 TW 17H-W9036-065/LP ALL PARTS RUST RESISTANT SIZE 3 LEAD SIDE. G3/8 IG OPERATION: MANUAL HAND LEVER SEALS: NBR (BUNAN) TEST MEDIUM: AIR, WATER, OIL TEST PRESSURE: MAX. 50 BAR
C1-14768 (M16X1,5) 50 bar TW 17H	
300204511	
Tw 800 G1/2	
B800bg4-18	
C1-124707	
C1-122696	
Tw17h G1/2"	
C1-14762	
03 91 289116	
300159017 Tw17h-W9052-065/Lp C1-14784	
E51 - 111n	
E09 - 043p	

300140509	
300207131	
300145203	
C1-31219-X2	
300204512	
300145389	
W9325	
E51-87824	
C1-1455	
E60-6031-004	
C1-138190	
E64 - X321	
E51-277n	
C1-141190	
300155891	
F-Jnl1-0938(Ex. F-Jnl1-0937)	
3866069	
C1-14763	
C1-W6891	
C1-16112-X1	TW800B SPECIAL CONNECTOR
Tw800g	
F-Fi6-62	
F-Fe01-01 / Tw02 C1-141950	
B800bg4-16	
B800bg1-5	
C1-84248	
14 X 1,5 Cr	
F-Fi5-51	
3866071	
B800bg3-14	
E13-104841	
E02-503g-W59	
T17v	
Quick Connector - Internal Threads Tw17	
C1-16349 Tw 800b	

C1-99840	
300142043	
B800b-W8380-25	
(C1-76774)	
Tk23	
17hm22x1,5	
C1-16113-X1	TW800B SPECIAL CONNECTOR
C1-104664	
T18v16unf	
C1-57214	
T17-Bg3	
E51-102n	
Tw17h	
Tw141 22mm	
Tw17h G3/4"	
Tn1c1-118225 Ngv Nozzle (Weh Tn1c1-118225 Erdgasgostd-18mm,Dn=5mm)	
C1-114925	
E55-121e056n	
300141810 (Fe F-Fe01-02)	
C1-92534	
Tw 800 G 3/4	
C1-16349	TW800B SPECIAL CONNECTOR PLUG VERSION
17hm24x1,5	
B800b-W8394-125	
C1-14774	
C1-15561 K 73995	
300160577	
Tw17hm12x1,5	
B800b-W8387-085	
T18v14unf	
Jnlm130	
E50-138s519	
300141734 (Fe F-Fe01-03)	
C1-31849	
(C1-60440)	

16-18-Fi-B2-21	
Fi26-28-F-Fib3-33	
C1-16348	TW800B SPECIAL CONNECTOR
17hm30x1,5	
C1-19059	
F-Fi6-61	
300140508	
14 X 2	
C1-17059	
F-Fi6-63	
E50-105 S	
51-251n	
C1-15562-3/4 86879	
C1-15561-1/2 87392	
C1-14785 Tw17h-W9052-065/Hp Artikel: 300140525	
M24-M16	
Ngv2 (C1-35401-X1) *** 220 Pieces	
C1-16199 / 300140588	
C1-59243-X01	
B81223240008801-B812230332193	
C1-15562-X2 K 75319	
B800b-W8386-065	
300146227	
Fi12-14-F-Fib1-12	
C1-84141	
T18v18unf	
C1-141629	
T18v20unf	
E64 - X241	
E50 - 248n	
300145204	
F-Fi1-13	