


## Wieland Electric



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine bařvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulařabilirsiniz.

**Wieland Electric** Markası, tedarik sresi iin ltfen bizimle iletiřime geiniz.

*Firmamız Wieland Electric Trkiye Distribtr veya temsilcisi deęildir. Firmamız sipariř durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

| rn                                       | Aıklama                                                                                                                                                                                                                                    |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Snv4063kl-A 3s Dc 24v (A)</a>  | R1.188.0620.0 Basic device, one or two-channel control by contacts or semiconductors, automatic / manual reset with reset button monitoring, 2 immediate releases, 1 release delayed release, 0.15s - 3s, 24 V DC, screw terminal pluggable |
| <a href="#">Snv4063kl-A 30s Dc 24v (A)</a> | R1.188.0640.0 Base unit, one or two-channel control by contacts or semiconductors, automatic / manual reset with reset button monitoring, 2 immediate releases, 1 release delayed release, 1.5 - 30s, 24 V DC, screw terminal pluggable     |
| <a href="#">25.340.3653.0</a>              |                                                                                                                                                                                                                                             |
| <a href="#">70.350.1035.1</a>              |                                                                                                                                                                                                                                             |
| <a href="#">81.000.6200.0 / Wipos R20</a>  |                                                                                                                                                                                                                                             |
| <a href="#">Copper Tape</a>                |                                                                                                                                                                                                                                             |
| <a href="#">70.320.0628.0</a>              |                                                                                                                                                                                                                                             |
| <a href="#">70.310.0640.0 (Pack X10)</a>   |                                                                                                                                                                                                                                             |
| <a href="#">70.350.0635.1</a>              |                                                                                                                                                                                                                                             |
| <a href="#">Sno4003k-A Ac/Dc 24v (B)</a>   |                                                                                                                                                                                                                                             |
| <a href="#">72.210.0653.0</a>              |                                                                                                                                                                                                                                             |
| <a href="#">73.353.4035.1</a>              |                                                                                                                                                                                                                                             |
| <a href="#">70.310.2440.0 (Pack X10)</a>   |                                                                                                                                                                                                                                             |
| <a href="#">93.931.4953.0</a>              |                                                                                                                                                                                                                                             |
| <a href="#">210642 Podis Mot</a>           |                                                                                                                                                                                                                                             |
| <a href="#">070604</a>                     |                                                                                                                                                                                                                                             |

|                                                               |
|---------------------------------------------------------------|
| <a href="#">70.510.1053.0</a>                                 |
| <a href="#">70.500.1053.0</a>                                 |
| <a href="#">72.300.1653.0</a>                                 |
| <a href="#">73.354.4035.1</a>                                 |
| <a href="#">72.208.0453.0</a>                                 |
| <a href="#">72 205 1053 0</a>                                 |
| <a href="#">70.300.1640.0</a>                                 |
| <a href="#">72.205.1053.0</a>                                 |
| <a href="#">93.931.5153.0</a>                                 |
| <a href="#">166gest/3</a>                                     |
| <a href="#">70.330.2435.1</a>                                 |
| <a href="#">Snv4063kl-A 30s</a>                               |
| <a href="#">Snl 4022k</a>                                     |
| <a href="#">R1.188.0720.2 / Sno4062km-A Ac/Dc<br/>24v (C)</a> |
| <a href="#">70.330.1035.1</a>                                 |
| <a href="#">05.564.4453.1</a>                                 |
| <a href="#">70.310.1640.0</a>                                 |
| <a href="#">Wlr1.188.0630.0</a>                               |
| <a href="#">Wlr1.188.0690.2</a>                               |
| <a href="#">93.932.4853.0</a>                                 |
| <a href="#">Wlr3.185.0150.0</a>                               |
| <a href="#">81 030 0110 0</a>                                 |
| <a href="#">Snl 4001s</a>                                     |
| <a href="#">05 564 4453 1</a>                                 |
| <a href="#">Wlr1.188.0610.0</a>                               |
| <a href="#">172 706 002 99 716 1104 4</a>                     |
| <a href="#">59.197.0255.0, Rfk 1 / 150 Fk Pa/V0</a>           |
| <a href="#">70.500.2453.0</a>                                 |
| <a href="#">81.020.0011.0 / Flare Time Twin-1</a>             |
| <a href="#">72.310.1653.0</a>                                 |

|                                                                                                            |
|------------------------------------------------------------------------------------------------------------|
| <a href="#">172 707 001 99.715.1104.4</a>                                                                  |
| <a href="#">172 706 002 99.716.1104.4</a>                                                                  |
| <a href="#">R1.188.0710.2 / Sno4062km Ac/Dc 24v (C)</a>                                                    |
| <a href="#">R2.054.0310.1</a>                                                                              |
| <a href="#">72 300 1653 0</a>                                                                              |
| <a href="#">166gest 3</a>                                                                                  |
| <a href="#">72.350.1635.0</a>                                                                              |
| <a href="#">72.218.0453.0</a>                                                                              |
| <a href="#">70.320.1628.0</a>                                                                              |
| <a href="#">Snn 2020 24 V Rs Best. Nr. 512-7532</a><br><a href="#">Herst. Teile Nr. R1.188.0050.0 , No</a> |
| <a href="#">80.010.4000.0 / Flare-24dc-1w-250v6a</a>                                                       |
| <a href="#">93.932.5053.0</a>                                                                              |
| <a href="#">70.510.0653.0</a>                                                                              |
| <a href="#">70.330.0635.0</a>                                                                              |
| <a href="#">70.350.0635.0</a>                                                                              |
| <a href="#">Sno4062k-A Ac/Dc 24v (C)</a>                                                                   |
| <a href="#">72.215.1053.0 Steckereinsatz</a>                                                               |
| <a href="#">77 320 1628 0</a>                                                                              |
| <a href="#">72.205.1053.0 Buchseneinsatz</a>                                                               |
| <a href="#">Snm 4001s , No</a>                                                                             |
| <a href="#">70.300.0640.0</a>                                                                              |
| <a href="#">70.330.0635.1</a>                                                                              |
| <a href="#">72 208 0453 0</a>                                                                              |
| <a href="#">05 544 1029 0</a>                                                                              |
| <a href="#">70.510.2453.0</a>                                                                              |
| <a href="#">412 13141 893-99.600.7100.2 01k</a>                                                            |
| <a href="#">72.200.0653.0</a>                                                                              |
| <a href="#">05.544.1029.0</a>                                                                              |
| <a href="#">70.500.0653.0</a>                                                                              |

|                                                       |
|-------------------------------------------------------|
| <a href="#">57.802.1053.0</a>                         |
| <a href="#">Z5.564.4553.1</a>                         |
| <a href="#">57.110.1555.0 / 9760 U/8 Tke 220 V/V0</a> |
| <a href="#">70.320.2428.0</a>                         |
| <a href="#">70.350.1635.0</a>                         |
| <a href="#">Wlr1.188.0520.0</a>                       |